



SAFETEK PROFIRE



# PROT6 MAX

The Most Remarkable Type 6 Wildland Engine.



[firetrucks.ca/demo/prot6-max](https://firetrucks.ca/demo/prot6-max)

Scan to learn more.

SERVING THOSE WHO KEEP OUR COMMUNITIES **SAFE**

@SafetekProfire

Visit us at [firetrucks.ca](https://firetrucks.ca)

# PROT6 MAX

## SPECIFICATIONS

### TANK

- 250 IMP Gallon Water Tank
- 12 IMP Gallon Foam Tank
- High-strength polypropylene

### CHASSIS

- Ford F550 XL Crew Cab, 4x4.
- 179.8" WB, 60.0" CA.
- Engine: 6.7 Power Stroke V8 Turbo Diesel.
- Transmission: 10-speed TorqShift automatic.

### PUMP

- Waterax BB-4-21H 4 Stage High Pressure Pump.
- Gasoline Fueled.

### FOAM PROPORTIONING SYSTEM

- Scotty Around-The-Pump (ATP).
- Class A.

### HOSE REEL

- Hannay Reel INC.
- 100ft 1" booster hose

### INTAKES/DISCHARGES

- High flow TIG welded stainless steel discharge and suction manifolds.
- Rear Discharges:
  - 2 x 1 1/2"
  - 1 x 1" - Hose Reel
- Suction: 2.1/2"
- Tank Fill: 1x 2 1/2"

### LIGHTING

- Whelen Emergency Lighting Package.
- Scene Lights: Front, 2 Left, 2 Right, 2 Rear.

### BODY AND COMPARTMENTS

- Bolted Aluminum Body Construction
- Customizable Compartmentation
- Amdor Roll-Up Doors

### DIMENSIONS

- Length (in) 290
- Width (in) 98
- Height (in) 84
- Wheelbase (in) 179.8

### OPTIONS





- Super Single 335/80R20 Wheel/Tires.
  - Includes heavy duty front bumper and fender flares.

\*Specifications subject to change.



# PROT6 MAX


## DRAWINGS



\*Specifications subject to change.



\* Model Not Exactly As Shown



\* Model Not Exactly As Shown