

WILDLAND 6

The Most Remarkable Type 6 Wildland Engine.



Scan to learn more.

WILDLAND 6

SPECIFICATIONS

TANK

- 350 IMP Gallon Water Tank
- 12 IMP Gallon Foam Tank
- High-strength polypropylene integrated to the body.

CHASSIS

- Ford F550 XL Crew Cab, 4x4.
- 179.8" WB, 60.0" CA.
- Engine: 6.7 Power Stroke V8
- Turbo Diesel.
- Transmission: 10-speed TorqShift Automatic.

PUMP

- Waterax BB-4-21H 4 Stage High Pressure Pump.
- Gasoline Fueled.

FOAM PROPORTIONING SYSTEM

- Scotty Around-The-Pump (ATP).
- Class A.

HOSE REEL

- Hannay Reel INC.
- 100ft 1" booster hose.

INTAKES/DISCHARGES

- High flow TIG welded stainless steel discharge and suction manifolds.
 - Rear Discharges: ·2 x 1-1/2″
 - ·1 x 1" Hose Reel
 - Suction: 1x 2-1/2"
- Suction: 1x 2-1/2"
- Tank Fill:1x 1-1/2"

LIGHTING

• Whelen Emergency and Scene Lighting Package.

BODY AND COMPARTMENTS

- Lightweight integrated construction.
- High-strength polypropylene 1 compartment per side.
- Aluminum roll-up doors.


OPTIONS


- Front Brushguard Front Bumper.
- Front Winch Warn 16T- 12V Electric.
- Super Single 335/80R20 Wheel/Tires.
- Ground Sweeps.
- Cab Controlled Monitor:
 -Requires front bumper option
 - Front Discharges: ·1 x 2" - Monitor -Requires front bumper option
- *Specifications subject to change.



WILDLAND 6

DRAWINGS





*Specifications subject to change.

